ISSN-2394:3076 CODEN(USA) : JBPCBK Journal of Biological Pharmaceutical And Chemical Research , 2014,1(1): 1-7

(http://www.jobpcr.com/arhcive.php)

CONSIDERATION OF TOBACCO DUST AS ORGANIC AMENDMENT FOR SOIL; A SOIL & WASTE MANAGEMENT APPROACH

Sarah Shakeel

Kinnaird College for Women Lahore, Pakistan 54000

REVIEW ARTICLE

ABSTRACT

Soil is non-renewable reserve that has high frequency of contamination and very low rate of replenishment in this environment. Immense food requirements have evolved the compelled usage of chemical fertilizers to have optimum crop leaf area in minimum time scale that have devastating impacts on biological, physical and chemical properties of the soil. Organic farming is an ultimate solution for the soil management. Tobacco dust an agro-industrial waste can be applied to the soil to recycle those nutrients that plant has taken up. Tobacco dust rich in nitrogen (N) (2.35%), potassium (K) (1.95%) and phosphorous (P) (937 ug/g) provide essential nutrients to the soil and plant. It has abundant quantity of organic content that exceeds the micro & macro-organism movement in soil that increase the porosity of soil, increase the infiltration of the oxygen. The tobacco dust increases the pH of the soil, maintain the electrical conductivity (EC) that does not leads to the salinity of the soil. Increase the nitrogen (N) content to various vegetable, house-plants and wheat straws. Increases the biomass content and average survival rate of the tomatoes. It's a good insecticide; prevent the insects and other viruses such as Tobacco mosaic virus that are detrimental for the crops. Furthermore it's an eco-friendly management strategy for soil, environment and for human health that does not generates pollution but reduce the organic waste into very useful manner.

Key words: Organic Farming, Soil Management, Soil Nutrients, Sustainable Agriculture, Tobacco Dust, Agro-Industiral Waste.

INTRODUCTION

The soil leached out its basic and as well as necessary elements during its long term plant and crop production. This circumstance mainly requires developing a well suited soil management system and strategies that will conserve soil elementary nutrients moreover enhance the capacity of soil productivity for future benefits [1]. For that purpose many artificial or synthetic fertilizer are used to cultivate the field completely in fewer span of time. But that will surely cause environmental degradation in any manner same as the environmental deterioration was happen during the green revolution. In that era, enormous growth of crops yield was recorded with much new variety of plants due to the application of many non-natural fertilizers that caused damage to soil, air, ecological possessions and most importantly the human health [2]. Author Diacono and Muntemurr,

2009 [3] has arose the importance of the resource with identifying the complexity of degradation rate of soil. Soil that is a non-renewable resource having much faster rate of its pollution leading towards desertification with having very lower rate of replenishing speed. That resulted many vast problems such as climate change adversity and green house effects.

Gopinath *et al.*, (2009) [4] has mentioned in their paper that sustainable agriculture is the resolution of all the concerns that are happening in the today's world. He said organic farming is a tool for a sustainable agriculture that leads to a better environment conditions. It is a complete integrated system entirely free from chemicals that combines all the factors of environment i.e. soil, air, water, flora and fauna as well. All these factors better in condition will produce biological system that will be alive and it will run a complete sustaining ecosystem. Moreover author Abbot and Murphy, 2007 [5] states the same ideas as above that sustainable agriculture will be attain if the soil has the fertility to grow crops. The soil fertility is the ability of soil to nurture the plant by providing physical, chemical and biological needs for the growth. Thus sustainable agriculture is to maintain sustainably a resource with its use without its loss.

MATERIALS AND METHOD

Objective of this Review

To assess and analyze the optimum effects of agro-industrial waste i.e. Tobacco Dust as organic amendment to soil and plants that will whether ultimately improve the soil quality and may give a more convenient way of disposing the agro-industrial waste and resolving its disposal issue. Thus knowing the effectiveness of the amendment to soil's physical, chemical and biological soil quality indicator.

Agro-Industrial Waste

Adediran *et al.* 2004 [6] has stated the actual significance of agro-industrial waste that is the surplus, unused, remaining material generated from an agricultural material that is handled in agricultural linked industry which can be used as an amendment to the soil and plants. He also believed that it is mainly an excellent choice to discontinue commercial, chemically synthesized fertilizer for the green leaf. Another author has stated that tobacco solid waste is classified as agro-industrial waste. It can be used as organic amendment for soil and plants. This implementation will leads to fertility of the soil as well as the adoption of the green farming strategy with sustainable agriculture [7].

Tobacco Dust

Tobacco is a green plant that has importance to the cigarette companies [8]. It is adopted to grow in warm climate then it is cultivated, dried, and grinded and the fine tobacco powder has been used in different cigarettes, cigar and pipes [9].

Pakistan is home to a number of varieties of tobacco namely Flu Cured Virginia, Light Air Cured, Light Sun Cured, Dark Air Cured, Semi Oriental and Dark Sun Cured. Food and Agriculture Organization (FAO) figures stated that tobacco was cultivated on nearly 50,000 hectares in the year 2009 [10].

Author Cercloglu and Okur, 2010 [1] has mentioned that the tobacco dust that generated from a cigarette industry has not used directly or can use on other purposes. The cigarette companies have to pay its disposal cost. These types of agro-industrial waste are burned or delivered to the incinerated plants for the reduction of the waste pile.

Chemical Composition of Tobacco Dust

Tobacco dust is rich in nitrogen (N) (2.35%), potassium (K) (1.95%) and phosphorous (P) (937 ug/g) (Chaturvedi *et al.* 2008) [11]. It provides sufficiently nitrogen (N) to the newly grown plants. It's a great source of nitrogen (N) for the container grown-houseplants [12]. Tobacco dust has high organic carbon that is high organic matter and have low toxic element content that make it favorable for the application on soil [6].

Tobacco dust is a by-product of many cigarettes company during the manufacturing process. Compared with other plant material wastes, tobacco wastes contained higher levels of nitrogen (N), potassium (K) and iron (Fe) as mention in past literature [13]. This may be due to the cutting machine used in process but this tobacco dust may be applied to iron depleted soils.

Briski *et al.* 2003 [14] has signifies the chemical content of tobacco dust that its aqueous fraction has a TOC concentration above 200 mg/L and therefore it cannot be disposed of in a sanitary landfill. Furthermore, it contains nicotine, which makes it hazardous.

Table 1: Physiochemical Composition of Tobacco Dust			
Sr. No.	Parameters	Values	
1.	Moisture Content		7.7%
2.	рН		5.69
3.	Ash	35.4%	(dry)
4.	Total Nitrogen (Kjeldahl)	2.38%	(dry)
5.	Carbon/Nitrogen ratio		15.1
6.	Phosphorous	0.5%	(dry)
7.	Calcium	3.7%	(dry)
8.	Magnesium	0.55%	(dry)
9.	Potassium	0.4%	(dry)
10.	Nicotine	1.50%	(dry)

Source: Sponza. D. T., "Toxicity Studies in a Tobacco Industry Biological Treatment. Plant".Journal of Water, Air, and Soil Pollution, 134: 137–164 (2002) [15].

Efficiency of Tobacco Dust in Agriculture

Organic matter and its amendment to the soil increase the nutrient values of the soil. The application of the organic amendments greatly effects electrical conductivity of the soil in positive aspects [16]. As the tobacco dust has high organic content that improves the soil chemical structure by improving the ions structure, electrical conductivity and nutrients level furthermore it also physically improve the soil with refining the water intake capacity, water holding capacity [17]. Author Candemir and Gulser, 2010 [18] has stated that the provision of the carbon (C) through the amendment such as tobacco dust leads to the facility of the energy sources to the microorganisms in the soil and thus make them energetic in the soil that cause of the aeration source/oxygen delivery into the soil.

Another author has manifest that the organic matter is very vital for the soil. Through the organic matter in tobacco dust leads soil to respire and promotes the growth of the plant. The micro and macro-organism activity is stimulated with the organic matter. The soil will be loosened then the oxygen required for the decomposition of the organic matter and for respiration become more sufficient and results in release of the carbon dioxide [19].

The past researches have shown that soil treated with tobacco dust immediately after tobacco dust has been refused from the cigarette company. But some research has evolved a new prospective that

the effect of tobacco dust can be more effective when it is in the form of compost. Author Okur, 2007 [20] has indicated that as the tobacco dust contained a high quantity of nicotine in it that makes it some toxic to the soil and to plant as well. The directly use of the tobacco dust may cause harm to the agriculture. Due to the nicotine presence, it decreases the organic carbon transfer to the soil and hence reduces the microbial biomass [13].the best technique for that problem is to compost the tobacco dust/waste that will breakdown the nicotine components and make it less toxic to the soil and plant [6].

Furthermore nicotine by its nature is an insecticide that may protect the plants from insects that cause adverse damage to the crop [21]. Past literature has shown that the application of the tobacco dust to the soil that has alkaline in nature may increase the soil's chemical, physical structure to have fertile soil. Author Chaturvedi, 2008 [11] has confirmed that in prior researches the application of the tobacco dust as organic amendment provide the nutrients such as high quantity of the nitrogen (N) that is required for the plant growth and carbon content that improves the soil's micro biomass and soil porosity that leads to the high grain yield of wheat. Another author confirmed the above fact with statistics that upon the application of the tobacco dust on the wheat crops, wheat straw increases its nitrogen content from 0.4% to 0.7% [22]. The yield of tomato and its nutritional values are also enhanced by the application of the organic fertilizers as the practical done on tomato nutritional content, its yield, its average time growth by Karaman et al., 2004 [23]as compared with the control one. Author Melchias *et al.*, 2013 [24] has researched that the survival of the tomato was significant due to the effect of tobacco dust amendment over control treatment. The average survival was 96.32 %. It also gives fresher biomass of tomato.

The treatment of soil with the tobacco dust has been studies in past literature that showed the effectiveness of it to soil. The application of the tobacco dust has increased the soil pH and did not cause negative effects to the soil and plant. Author Cercioglu *et al.*, 2012 [7] has also confirmed that due to the application of the tobacco dust it does not leads to the excess of total salts that may retard the plant production. The application of the amendment does not cause the salinity problems in the soil.

There is evident from the past literature that tobacco dust application may increases the electrical conductivity (EC) in clay and loamy sand soils. It is an important parameter for monitoring the organic matter mineralization [25]. In various studies it was revealed that the tobacco dust supplies the higher amount of organic matter to the soil that increases the mobility of the microorganism activity and increases the nutrient availability to the plant also. This organic amendment leads to the transformation of the nitrogen content (NO3-N) in soil due to the mineralization of organic matter [26].

Another study has evolved the significance of tobacco dust application on soil for the management practice. The practice showed that due to the chemical nature of the tobacco dust and its nicotine presence make the soil unfit for the insects breeding. That's why in South America the control of Golden Apple snail problem in paddy field and nearby crops was solved due to the application of the tobacco dust. That will reduce the consumption and spray of the extensively damaged synthetic and commercial fertilizer on crops [27].Tobacco waste can be reduced rice damaged by golden apple snail about 14%.The rate of application more than 625 Kg/ha can be improved rice yield and yield component due to tobacco waste contained of high nitrogen with 1.34% and high organic matter with 46.65%.The optimum rate of tobacco waste to control golden apple snail was 1562.5 Kg/ha. Iida et al. (1998) [29] used tobacco waste which has nicotine 2.8% at the rate of 712.5 Kg/ha to killed snail.

The tobacco mosaic virus belongs to the genus tobamorvis and cause severe damage to the crops

leads to the financial crises in Turkey. It caused due to the organic waste infected with the tobacco mosaic virus. Its control can only be done by the application of the tobacco dust addition to the soil [28]. The tobacco dust has high content of organic percentage that increases the pH of the soil, improves the total porosity and increases the infiltration of the soil [18]. The tobacco dust affects the pH of the soil and makes it to increase level, increase precipitation factor and infiltration situation can greatly remove these viruses from the soil.

CONCLUSION

Soil needs organic amendments for its fertility. Chemical and inorganic fertilizers may produce positive impacts on soil but it degrades environment in many ways including soil pollution, air pollution, and water pollution if it leached down to water table. The approach of burning or incinerating the organic waste i.e. tobacco waste may cause the ejection of the harmful gases and also the usage of the extra fuel to ignite and burn that waste may consume many resources. That's why this strategy is leading to the environmental sustainable approach and protecting our very beautiful environment.

REFERENCES

[1] M Cercioglu; B Okur.Effects of Tobacco Waste and Farmyard Manure on Macro Element Status of Soil and Yield of Grown Lettuce (Lactuca Sativa L. Var. Capitata), Ege Üniversitesi Ziraat Fakültesi Dergisi, **2010**, 47 (3), 331-338.

[2] VM Ganiger; JC Mathad; MB Madalageri; HB Babalad; NS Hebsur; NB Yenagi. Effect of Organics on the Physico-Chemical Properties of Soil after Bell Pepper Cropping Under Open Field Condition, *Karnataka Journal of Agricultural Sciences*, **2012**, 25(4), 479-484.

[3] M Diacono; F Montemurro. Long-Term Effects of Organic Amendments on Soil Fertility, a Review. *Agronomy Sustainable Development*, **2010**, 30, 401–422.

[4] KA Gopinath; S Supradip;BL Mina; H Pande; AK Srivastava; HS Gupta. Bell Pepper Yield and Soil Properties during Conversion from Conventional to Organic Production in Indian Himalayas, Scientia Horticulture, **2009**, 122, 339-345.

[5] LK Abbott; DV Murphy. What is Soil Biological Fertility? Soil Biological Fertility – A Key to Sustainable Land Use in Agriculture. Springer, **2007**, 1–15, ISBN 9781-4020-6619-1.

[6] JA Adediran; PNS Mnkeni; NC Mafu; NYO Muyima. Changes in Chemical Properties and Temperature during the Composting of Tobacco Waste with other Organic Materials, and Effects Of Resulting Composts on Lettuce (Lactuca Sativa L.) and Spinach (Spinacia Oleracea L.), Biological Agriculture and Horticulture, **2004**, 22, 101-119.

[7] M Cercioglu; B Okur; S Delibacak; AR Ongum. Effects of Tobacco Waste and Farmyard Manure on Soil Properties and Yield of Lettuce (Lactuca Sativa L. Var. Capitata), *Journal of Communications in Soil Science and Plant Analysis*, **2012**, 43, 875–886.

[8] HH Kayikcioglu; N Okur. Evolution of Enzyme Activities during Composting Of Tobacco Waste, *Journal of Waste Management and Research*, **2011**, 29(11), 1124–1133.

[9] M Jacobs. From the First to the Last Ash: The History, Economics & Hazards of Tobacco, a Comprehensive Adult Basic Education Curriculum, **1997**, 1-112.

[10] DD Stull. Tobacco Is Going, Going . . . But Where? *Journal of Culture & Agriculture*, **2009**, 31(2), 54–72.

[11] S Chaturvedi; DK Upretil; DKTandon; a Sharma; a Dixit. Bio-Waste from Tobacco Industry as Tailored Organic Fertilizer for Improving Yields and Nutritional Values of Tomato Crop, *Journal of Environmental Biology*, **2008**,29(5):759-63.

[12] RL Mikkelsen. Using Tobacco By-Products as a Nitrogen Source for Container-Grown Houseplants, *Journal of Plant Nutrition*, **2003**, 26, 1697–1708.

[13] JA Adediran;ND Baets;PN Mnkeni;L Kiekens;NYO Muyima; A Thys.Organic Waste Materials for Soil Fertility Improvement in the Border Region of the Eastern Cape, South Africa, *Journal of Biological Agriculture and Horticulture*, **2003**,20, 283-300.

[14] F Briski; N Horgas; M Vukovic; Z Gomzi. Aerobic Composting of Tobacco Industry Solid Waste - Simulation of The Process, *Journal of Clean Technology Environment Policy*, **2003**, 5, 295-307.

[15] DT Sponza; Toxicity Studies in A Tobacco Industry Biological Treatment Plant, *Journal of Water, Air, and Soil Pollution*, **2002**, 134, 137–164.

[16] C Gulser; Z Demir. Changes in Some Soil Properties at Different Incubation Periods after Tobacco Waste Application, *Journal of Environmental Biology*, **2010**, 31(5), 671-674.

[17] SM Aggelides; PA Londra. Effects Of Compost Produced From Town Wastes And Sewage Sludge On The Physical Properties Of A Loamy And A Clay Soil, Biores. Technol., **2000**, 71, 253-259.

[18] F Candemir; C Gülser. Effects of Different Agricultural Wastes on Some Soil Quality Indexes in Clay and Loamy Sand Fields, *Journal of Communications in Soil Science and PlantAnalysis*, **2010**, 42(1), 13-28.

[19] TB Parkin; J W Doran; E Franco-Vizcaino. Field and Laboratory Tests of Soil Respiration, In Methods for Assessing Soil Quality(Special Publication 49), Ed. J. W. Doran and A. J. Jones, **1996**, 231–246.

[20] N Okur; HH Kayikcioglu; B Okur; S Delibacak.Organic Amendment Based On Tobacco Waste Compost and Farmyard Manure: Influence on Soil Biological Properties and Butter-Head Lettuce Yield, *Turkey Journal of Agricultural Forest*, **2008**, 32, 91-99.

[21] IT Baldwin; P Callahan. Autotoxity and Chemical Defense: Nicotine Accumulation and Carbon Gain in Solanaceous Plants, Oecologia, **1993**, 94, 534-541.

[22] AR Brohi; MR Karaman. Determination of the Utilization of Nitrogen from Tobacco Waste by Wheat Crop with 15N Tracer Technique, *Turkey Journal of Agriculture and Forrest*,**1998**, 22, 593-600.

[23] MR Karaman; AR Brohi; I Ali; A Akgün. 15N Investigation Of Nitrogen Released From Tobacco-Waste To Be Utilized By Maize Crop, Isotopes Environmental Health Studies, **2004**, 40, 285-290.

[24] G Melchias; P Saravanan; SS Kumar; M Elizbeth. Effect of Tobacco Waste on Enhanced Productivity of Tomato Plant, *International Journal of Pharmacy & Life Sciences* (IJPLS), **2013**, 4(4), 2605-2607.

[25] S Deneve; J Steene; R Hartman; GHofman. Using Time Domain Reflectometry for Monitoring Mineralization of Nitrogen from Soil Organic Matter, *European Journal of Soil Sciences*, **2000**, 51, 295-304.

[26]. JJ Lee; RD Park; YW Kim; JH Shim; DH Chae; YS Rim; BK Sohn; TH Kim; KY Kim. 2004. Effect of Food Waste Compost on Microbial Population, Soil Enzyme Activity and Lettuce Growth. Biores. Technology, **2004**, 93, 21-28.

[27]. R Tangkoonboribun; S Sassanarakkit. Molluscicide from Tobacco Waste, *Journal of Agricultural Science*, **2009** 1(1), 76-81.

[28]. SH Tan; M Nishiguchi; W Sakamoto; Y Ogura; M Murata; M Ugaki; M Tomiyama; F Motoyoshi. Molecular Analysis of the Genome of an Attenuated Strain of Cucumber Green Mottle Mosaic Virus, *Annals of the Phytopathologicial Society of Japan*, **1997**, 63; 470–474.

[29]. GB Iida; MC Relicardo; FM Edwin; DS Francisca; TM Angela. Molluscicidal Activity of Tobacco Dust against Brackish water Pond Snails (Cerithidea cingulata Gmelin), Crop Protection, **1998**, 17 (1), 401-404.